

## New Comfortmaker® SoftSound™ VS 95 Variable-Speed Gas Furnace: **Contractor-friendly Design, 95% AFUE Efficiency**

The Comfortmaker® SoftSound™ VS 95 gas furnace features money-saving 95% AFUE efficiency and easy installation, plus the comfort and energy efficiency of two-stage, variable-speed heating.

Comfortmaker VS 95 furnaces are available in four models with heating inputs ranging from 40 MBTUh to 100 MBTUh and cooling capacities from 1.5 to 5 tons. Benefits of the VS 95 furnace include:

### Proven Dependability:

- Durable silicon nitride igniters last longer, can withstand high-line voltage and do not require voltage regulators.
- The VS 95 furnace features a patented weld-free stainless steel RPJ® III primary heat exchanger plus a stainless steel secondary heat exchanger for maximum performance and durability.

### Comfortable, Quiet Performance:

- With two stages of heating, the VS 95 furnace



Comfortmaker SoftSound™  
VS 95 Gas Furnace

operates on quieter low fire unless the thermostat calls for high fire. As an added bonus, when two-stage furnaces operate on low fire, they run on longer cycles to keep the home heated more evenly.

- A thermal-lined, one-piece cabinet; solid doors for a sealed combustion compartment; and an insulated blower compartment provide quiet, efficient operation.

### Time-Saving Installation:

- The VS 95 is dual certified for one- or two-pipe installation, which can run horizontally or vertically. In a two-pipe configuration, it is direct-vent rated.
- Easy-to-remove panels and extra-spacious cabinets give technicians room to work.
- Versatile 24- and 115-volt connections allow easy attachment of electronic air cleaners (115v) and humidifiers (24v and 115v).

*continued on page 4*


## A Full Line of Compact, Easy-install 90% Furnaces

### Comfortmaker 90% Gas Furnace Line Features

With eight product groups, the Comfortmaker line of 90% gas furnaces offers a furnace to meet the needs of every application. Product groups include the following features:

- **Compact:** 40 inches tall.
- **Complete:** offered in capacities ranging from 40 to 125 MBTUh (see specifications on pages 2, 3).
- **Internal condensate drain system.**
- **Superior RPJ® III heat exchanger.**
- **Reliable flame sensing.**
- **Dependable, long-lasting silicon nitride igniters.**

**Multi-poise: Most Comfortmaker 90% gas furnaces can be installed in upflow, downflow, horizontal left or horizontal right configurations.**



## SoftSound™ Models

### SoftSound VS 95 (Model C9MVX)

The Comfortmaker VS 95 provides the maximum efficiency, quiet operation and premium comfort of variable-speed, two-stage heating. Key features:

- 95% AFUE
- 40 - 100 MBTUh
- RPJ® III stainless steel primary heat exchanger
- Lifetime-limited warranty on heat exchangers
- Direct ignition with silicon nitride igniter
- GE ECM 2.3 variable-speed blower
- 2-stage condenser compatible
- 1-pipe or 2-pipe venting
- Low NOx: meets California standards for low NOx emissions
- Solid doors provide sealed combustion compartment
- Shipped with filters and rack
- 7 year parts limited warranty
- 10 year **No Hassle Replacement™** limited warranty\*



### SoftSound VS 90 (Model C9MPV)

The Comfortmaker VS 90 provides the highly efficient, quiet operation and premium comfort of variable-speed, two-stage heating. Key features:

- 92.1% AFUE
- 50 - 125 MBTUh
- RPJ® III stainless steel primary heat exchanger
- Lifetime-limited warranty on heat exchangers
- Direct ignition with silicon nitride igniter
- GE ECM 2.3 variable-speed blower
- 2-stage condenser compatible
- 1-pipe or 2-pipe venting
- Solid doors provide sealed combustion compartment
- Shipped with filters and rack
- 7 year parts limited warranty
- 10 year **No Hassle Replacement** limited warranty\*



### SoftSound IIS 90 (Model C9MPT)

The IIS 90 provides quiet, high-efficiency operation plus the improved comfort of two-stage operation with a conventional PSC blower motor. Key features:

- 92.1% AFUE
- 50 - 125 MBTUh
- RPJ III stainless steel primary heat exchanger
- Lifetime-limited warranty on heat exchangers
- Direct ignition with silicon nitride igniter
- Multi-speed PSC blower
- 1-pipe or 2-pipe venting
- Twinning capability
- Solid doors provide sealed combustion compartment
- Shipped with filters and rack
- 5 year parts limited warranty
- 7 year **No Hassle Replacement** limited warranty\*



### SoftSound DLX 95 (Model C9UHX)

The new DLX 95 is a high-efficiency furnace with single-stage heating. Key features:

- 95% AFUE
- 60 - 100 MBTUh
- RPJ III stainless steel primary heat exchanger
- Lifetime-limited warranty on heat exchangers
- Direct ignition with silicon nitride igniter
- 1-pipe or 2-pipe venting
- Solid doors provide sealed combustion compartment
- Low NOx: meets California standards for low NOx emissions
- 5 year parts limited warranty
- 5 year **No Hassle Replacement** limited warranty\*



### SoftSound DLX 90 (Model C9MPD)

The DLX 90 is a high-efficiency furnace with single-stage heating. Key features:

- 92.1% AFUE
- 50 - 125 MBTUh
- RPJ III stainless steel primary heat exchanger
- Lifetime-limited warranty on heat exchangers
- Direct ignition with silicon nitride igniter
- 1-pipe or 2-pipe venting
- Solid doors provide sealed combustion compartment
- High-airflow 100 MBTUh model for five-ton cooling applications
- Low NOx: meets California standards for low NOx emissions
- 5 year parts limited warranty
- 5 year **No Hassle Replacement** limited warranty\*



\* The **No Hassle Replacement™** limited warranty provides a new equivalent replacement unit if the heat exchanger fails during the **No Hassle Replacement** limited warranty period (with a labor allowance for the dealer). Restrictions apply. Contact your local Comfortmaker distributor for details.

## Performance Models

### Comfortmaker PS92 (Model N9MPD)

Designed to meet the needs of cost-conscious customers, the competitively priced Comfortmaker PS92 features dual certified venting. Key features:

- 92.1% AFUE
- 40 - 125 MBTUh
- RPJ III primary heat exchanger
- 20 year limited warranty on heat exchangers
- Direct ignition with silicon nitride igniter
- 1-pipe or 2-pipe venting
- High-airflow 100 MBTUh model available for five-ton cooling applications
- Low NOx: meets California standards for low NOx emissions
- 5 year parts limited warranty



### Comfortmaker PS90-DV (Model N9MP2)

Also designed to meet the needs of cost-conscious customers, the Comfortmaker PS90-DV is a performance series product group. Key features:

- 90% AFUE
- 50 - 125 MBTUh
- RPJ III primary heat exchanger
- 20 year limited warranty on heat exchangers
- Direct ignition with silicon nitride igniter
- 2-pipe (direct vent) only
- High-airflow 100 MBTUh model available for five-ton cooling applications
- 5 year parts limited warranty



### Comfortmaker PS90 (Model N9MP1)

The Comfortmaker PS90 is a performance series product group that is certified for single-pipe installation only. Key features:

- 90% AFUE
- 40 - 125 MBTUh
- RPJ III primary heat exchanger
- 20 year limited warranty on heat exchangers
- Direct ignition with silicon nitride igniter
- 1-pipe venting only
- High-airflow 100 MBTUh model available for five-ton cooling applications
- 5 year parts limited warranty



## Literature Available Online

The latest product information on residential gas furnaces is now available at the Comfortmaker dealer Web site ([www.GoComfortmaker.com](http://www.GoComfortmaker.com)) under the "Product Information" button. This will give you access to specifications sheets, technical support manuals, installation and operation manuals, product information bulletins, and homeowner/user manuals and warranties.

## Sales & Technical Literature

The Comfortmaker 90% gas furnace line is supported by a collection of literature that gives you the technical and sales tools you need. Order these part numbers through your distributor:

### Comfortmaker SoftSound VS 95

Specifications Sheet  
Part # To Be Announced  
Consumer Brochure  
Part # To Be Announced

### Comfortmaker SoftSound VS 90

Specifications Sheet  
Part # 440-41-2023-02  
Consumer Brochure  
Part # 440-42-2016-00

### Comfortmaker SoftSound IIS 90

Specifications Sheet  
Part # 440-41-2015-04  
Consumer Brochure  
Part # 440-42-2015-01

### Comfortmaker SoftSound DLX 95

Specifications Sheet  
Part # 440-41-1050-03  
Consumer Brochure  
Part # 440-42-1050-00

### Comfortmaker SoftSound DLX 90

Specifications Sheet  
Part # 440-41-1115-04  
Consumer Brochure  
Part # 440-42-1115-01

### Comfortmaker PS92

Specifications Sheet  
Part # 440-41-1017-05  
Consumer Brochure  
Part # 440-42-1060-00

### Comfortmaker PS90-DV

Specifications Sheet  
Part # 440-41-1016-04  
Consumer Brochure  
Part # 440-42-1060-00

### Comfortmaker PS90

Specifications Sheet  
Part # 440-41-1015-04  
Consumer Brochure  
Part # 440-42-1060-00

## New Comfortmaker® SoftSound™ VS 95 Variable-Speed Gas Furnace

continued from page 1

### Multiposition Application:

- This multiposition furnace is ready for upflow installations out of the box, with all parts included for downflow or horizontal conversions.
- Comfortmaker VS 95 furnaces are shipped configured for natural gas applications. Propane gas conversion kits are available.

### Efficient Operation:

- The VS 95 furnace operates at 95% AFUE efficiency and features a high-efficiency, GE ECM 2.3 indoor variable-speed fan motor for money-saving operation.
- The VS 95 furnace meets California standards for low NOx emissions.

### Simplified Troubleshooting:

- The Comfortmaker VS 95 furnace is equipped with a troubleshooting LED fault indicator that will help diagnose nearly all system-related malfunctions.



**“The new Comfortmaker® SoftSound™ VS 95 variable-speed gas furnace offers 95% AFUE efficiency, contractor-friendly design.”**

- The fault indicator is easy to view through a sight glass in the blower door.
- For servicing convenience, the entire blower assembly is mounted on rails.
- Conventional gas valves also come standard on these furnaces for easy replacement and troubleshooting.

### Premium Warranties:

The VS 95 gas furnace includes a lifetime limited warranty on the heat exchanger, a seven-year limited warranty on parts and a 10-year **No Hassle Replacement™** limited warranty. The **No Hassle Replacement** limited warranty provides a new equivalent replacement unit if the heat exchanger fails during the **No Hassle Replacement** limited warranty period (with a labor allowance for the dealer). Restrictions apply. Contact your Comfortmaker distributor for details.

Visit our World Wide Web site on the Internet at [www.comfortmaker.com](http://www.comfortmaker.com)  
or visit the dealer Web site at [www.GoComfortmaker.com](http://www.GoComfortmaker.com)

International Comfort Products  
c/o 4235 Hillsboro Road, Suite 101  
Nashville, Tennessee 37215-3344

**Comfortmaker**  
Air Conditioning & Heating